

TOMEI Camshaft Spec Card

PART NAME **PROCAM** ENGINE **VQ35DE LATE model (-07.01)**

PART NUMBER SET **-** IN **142035** EX **142036**

GRIND IN **272° / 11.30mm -** EX **272° / 11.00mm -** BACE IN **Φ35.4** EX **Φ35.4** ROCKER ARM RATIO* **-** VALVE CLEARANCE IN **0.30** EX **0.33**

LIFT IN **@CAM 11.30mm @VALVE 11.00mm** EX **@CAM 11.00mm @VALVE 10.67mm** LOBE CENTER(°) IN **125.0** EX **126.0**

* ALL LIFTS ARE BASED ON ZERO LASH AND THORETICAL ROCKER ARM RATIOS

CAM TIMING		OPENS(°)		CLOSES(°)		Actual Duration @ Opening(°)
Actual Duration	IN	BTDC	11.0	ABDC	81.0	272.0
Valve Lift	EX	BBDC	82.0	ATDC	10.0	272.0





Values shown are, from start to the end of actual duration. (Excluding the ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 1mm	IN	ATDC	4.0	ABDC	66.0	242.0
Valve Lift	EX	BBDC	67.0	BTDC	5.0	242.0

Values are of actual duration from start to end of 1mm value points. (Excluding ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 0.05"	IN	ATDC	6.0	ABDC	64.0	238.0
Valve Lift	EX	BBDC	65.0	BTDC	7.0	238.0

Values are of actual duration from start to end of 0.05" value points. (Excluding ramp values)



REQUIRED VALVE SPRING SPEC	
NOMAL HEIGHT	49.1
SET LENGTH	37.0
LIFT LENGTH	26.0
COMPRESSED HEIGHT	25.0
SET LOAD	24.0 ±6%
LIFT LOAD	56.8 ±6%
TOMEI PART NUMBER	163037

REQUIRED PARTS	
PRODUCT NAME	TOMEI PART NUMBER